Digital B&W Multi Function Printer



RICOH IM 2702



Intelligent and Reliable

The new intelligent A3 mono multifunction printer to empower your workplace

High productivity at an economy price

RICOH IM 2702 has a print speed of up to 27 pages per minute and comes standard with a paper tray that feeds up to 500 sheets to ensure easy and smooth printing operations. Additionally, it is equipped with Automatic Reverse Document Feeder (ARDF) to read and copy documents easily. We have made this combination of high productivity and comfortable ease of use available at a reasonable price.





Easy installation and maintenance

RICOH IM 2702 is easy to set up as soon as the machine arrives with the hassle-free developer and imaging units installed by default. Installation can be done at a breeze with the help of Ricoh's stepby-step installation guide. Further upkeep, such as handling paper jams or replacing toner is also simple.

Intelligent and smoother workflow

RICOH IM 2702 is equipped with the latest 7-inch Smart Operation Panel (SOP) which plays host to a suite of intelligent workflow tools. Downloadable smart apps, such as ID Card Copy, automate time-consuming processes. Users can connect seamlessly to the MFP and print from / scan to their smartphones and tablets. With easy cloud integration, they can scan documents and upload them to cloud services such as Dropbox[™] and SharePoint[™].





Security in our DNA

Recognising modern business security challenges, RICOH IM 2702 ensures business information remains secure with robust security layers in place. Document confidentiality can be maintained by suspending print jobs, and only be released when authentication is done at the device. Network encryption ensures data transmission remains safe.

Learn more about RICOH's Security layers: https://www.ricoh.com/products/security/mfp/

RICOH IM 2702

MAIN SPECIFICATIONS

| MODEL | RICOH IM 2702 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GENERAL | |
| Functions | Print, Scan, Copy, Fax |
| Operation panel | 7-inch Smart Operation Panel |
| Warm-up time | 27 seconds |
| First output speed | 6.5 seconds |
| Continuous output speed | 27ppm |
| Memory | Standard: 2GB |
| ARDF capacity | 100 sheets |
| Weight [Mainframe] | 46.5kg or less |
| Dimensions W x D x H | 587 x 581 x 677 mm |
| Power source | 220 - 240V 50/60Hz |
| COPIER | |
| Multiple copying | Up to 999 copies |
| Resolution | 600 x 600 dpi |
| Zoom | From 25% to 400% in 1% steps |
| PRINTER | |
| CPU | ARM CortexA53 800 MHz |
| Printer language | Standard: PCL5e/6, PostScript3 |
| Print resolution | 600 x 600 dpi |
| Network interface | Standard: Ethernet (1000/100/10BASE), Wireless LAN (IEEE802.11a/b/g/n), USB 2.0-Device (Type-B), USB 2.0-Host |
| Mobile printing capability | Apple AirPrint™, Mopria, Google Cloud Print |
| Windows® environments | Windows® 7/8.1/10, Windows® Server 2008/2008 R2/2012/2012 R2/2016/2019 |
| Mac OS environments | Mac OS X (V10.11 or Later) |
| UNIX environments | UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX |
| SAP® environments | SAP® R/3®, SAP® S/4® |
| SCANNER | |
| Scanning speed | Mono: 50ipm Color: 50ipm |
| Resolution | Maximum: 600 dpi |
| Compression method | MH/MR/MMR, JPEG |
| File formats | Single Page TIFF, Multi Page TIFF, Single Page JPEG, Single Page PDF, Multi Page PDF, Single Page High-Compression PDF, Multi Page High-Compression PDF |
| Scan modes | Email, Folder, Network Twain, USB |
| FACSIMILE | |
| Circuit | PSTN |
| Tranmission speed | 3 seconds |
| Modem speed | 2,400 bps-33.6 Kbps with automatic shift down |
| Resolution | Standard: 8 x 3.85 line/mm (200 x 100 dpi), 8 x 7.7 line/mm (200 x 200 dpi) |
| Compression method | MH, MR, MMR |
| Memory | Standard: 9.7MB |
| SECURITY | |
| | Locked Print, SSL communication encryption, Transport Layer Security (TLS), SMTP over SSL/TLS, Wireless LAN encryption, Network Protocol, IP filtering |
| Features | Network Frotocol, if filtering |
| Features PAPER HANDLING | |
| | A3, A4, A5, A6, B4, B5, B6 |
| PAPER HANDLING Recommended paper size | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets |
| PAPER HANDLING Recommended paper size Paper input capacity | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets |
| PAPER HANDLING Recommended paper size | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets |
| PAPER HANDLING Recommended paper size Paper input capacity | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m² Bypass: 60 - 216g/m² |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope Maximum: Less Than 1,550W Ready mode: Less Than 113W |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types ECOLOGY | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope Maximum: Less Than 1,550W |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types ECOLOGY Power consumption TEC Value | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope Maximum: Less Than 1,550W Ready mode: Less Than 113W Sleep mode: Less than 4W |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types ECOLOGY Power consumption TEC Value INPUT TRAY OPTIONS | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope Maximum: Less Than 1,550W Ready mode: Less Than 1,550W Sleep mode: Less than 4W Less than 1.309 kWh |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types ECOLOGY Power consumption TEC Value INPUT TRAY OPTIONS 1 x 500-sheet paper tray (PB2030) | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope Maximum: Less Than 1,550W Ready mode: Less Than 113W Sleep mode: Less than 4W Less than 1.309 kWh |
| PAPER HANDLING Recommended paper size Paper input capacity Paper output capacity Paper weight Paper types ECOLOGY Power consumption TEC Value INPUT TRAY OPTIONS | A3, A4, A5, A6, B4, B5, B6 Standard: 500 sheets Maximum: 1,600 sheets Standard: 250 sheets Tray: 52 - 105g/m ² Bypass: 60 - 216g/m ² Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Printed Paper, Preprinted Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope Maximum: Less Than 1,550W Ready mode: Less Than 1,550W Sleep mode: Less than 4W Less than 1.309 kWh |



www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #80-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2019 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.





