

Digital B&W Multi Function Printer

RICOH
imagine. change.

RICOH M 2700 M 2701

Copier Printer Scanner



RICOH
M 2700
27
ppm Monochrome

RICOH
M 2701
27
ppm Monochrome

Basic and Impactful

The high performance A3 mono multifunction printer to empower your workplace

High productivity at an economy price

RICOH M 2700/ M 2701 has a print speed of up to 27 pages per minute and comes standard with a paper tray that feeds up to 500 sheets to ensure easy and smooth printing operations. Additionally, RICOH M 2701 is equipped with Automatic Reverse Document Feeder (ARDF) to read and copy documents easily. We have made this combination of high productivity and comfortable ease of use available at a reasonable price.



Easy installation and maintenance

RICOH M 2700/ M 2701 is easy to set up as soon as the machine arrives with the hassle-free developer and imaging units installed by default. Installation can be done at a breeze with the help of Ricoh's step-by-step installation guide. Further upkeep, such as handling paper jams or replacing toner is also simple.

Better connectivity and usability

RICOH M 2700/ M 2701 comes with a standard Network Interface Card or an optional wireless LAN to provide greater printing experience. Printing can even be performed directly from your smartphone. It is also equipped with a variety of functions, such as easy digitization and sharing of hardcopy through "Scan to Folder/ E-Mail/USB", "ID Card Copy & Scan" to support daily work, and even "Locked Print" to attach passwords and ensure the safety of personal information. Your job will be smoother than ever before.



Security in our DNA

Recognising modern business security challenges, RICOH M 2700/ M 2701 ensures business information remains secure with robust security layers in place. Document confidentiality can be maintained by suspending print jobs, and only be released when authentication is done at the device. Network encryption ensures data transmission remains safe.

Learn more about RICOH's Security layers:

<https://www.ricoh.com/products/security/mfp/>

RICOH M 2700 / M 2701

MAIN SPECIFICATIONS

MODEL	RICOH M 2700	RICOH M 2701
GENERAL		
Functions	Print, Scan, Copy	
Operation panel	4-Line LCD	
Warm-up time	19 seconds	
First output speed	6.5 seconds	
Continuous output speed	27ppm	
Memory	Standard: 512MB	
ARDF capacity	-	50 sheets
Weight [Mainframe]	34kg or less	39kg or less
Dimensions W x D x H	587 x 581 x 560 mm	587 x 581 x 639 mm
Power source	220 - 240V 50/60Hz	
COPIER		
Multiple copying	Up to 999 copies	
Resolution	600 dpi	
Zoom	From 25% to 400% in 1% steps	
PRINTER		
Printer language	Standard: GDI	
Print resolution	600 x 600 dpi	
Network interface	Standard: Ethernet (1000/100/10BASE), USB 2.0 TypeB x1 Option: Wireless LAN (IEEE 802.11a/b/g/n/ac)	
Mobile printing capability	Apple AirPrint™, Mopria	
Windows® environments	Windows® 7/8/8.1/10, Windows® Server 2003/2008/2012/2016	
SCANNER		
Scanning speed	Mono: 18ipm Color: 6ipm	
Resolution	Maximum: 600 dpi	
Compression method	MH/MR/MMR, JPEG	
File formats	Single Page TIFF, Multi Page TIFF, Single Page JPEG, Single Page PDF, Multi Page PDF	
Scan modes	Email, Folder, USB	
SECURITY		
Features	Locked Print, IPsec communication, Transport Layer Security (TLS), SMTP over SSL, Wireless LAN encryption	
PAPER HANDLING		
Recommended paper size	A3, A4, A5, A6, B4, B5, B6	
Paper input capacity	Standard: 500 sheets Maximum: 1,600 sheets	
Paper output capacity	Standard: 250 sheets	
Paper weight	52 - 216g/m ²	
Paper types	Thin Paper, Plain Paper 1, Plain Paper 2, Recycled, Color Paper, Special Paper, Middle Thick Paper, Prepunched Paper, Letterhead, Bond Paper, Cardstock, Thick Paper 1, Thick Paper 2, Label Paper, OHP, Envelope	
ECOLOGY		
Power consumption	Maximum: Less Than 1,550W Ready mode: 94W Sleep mode: 0.97W	
TEC value	Less than 1.3 kWh	
INPUT TRAY OPTIONS		
1 x 500-sheet paper tray (PB2030)	Paper size: A5-B4, Paper weight: 60-105g/m ²	
2 x 500-sheet paper tray (PB2040)	Paper size: A5-B4, Paper weight: 60-105g/m ²	
OTHER OPTIONS		
Bypass Tray Cover Type M16, ADF Handle TypeC, IEEE 802.11 Interface Unit Type P16		

RICOH
imagine. change.

www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467
Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2019 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.

